

**DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS**

DODISS NOTICE

1 MAR 1999 / FOR PERIOD 15 FEB 1999 TO 28 FEB 1999 / VOL. 04/ NO. 99

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Defense Automated Printing Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated below. DOD documents will not be available for 45 days and non-Government Standards for 60 days after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

A digital version of this document in portable document format (PDF) is available at the DODSSP website on the DODISS Notice page:
<http://www.dodssp.daps.mil/dodiss.htm>

Doc Action	Document Number	Document Title	Distribution FSC/Area	ICA	Prep. Acty.	Date
N	MIL-DTL-82968	CUTTER, EXPLOSIVE ACTUATED, MK 33 MOD 0 [CUST: OS]	A 1377	OS		23-SEP-98
M	MIL-STD-1540D	PRODUCT VERIFICATION REQUIREMENTS FOR, LAUNCH, UPPER STAGE, AND SPACE VEHICLES [CUST: 19] [REVIEW: 33 NA]	A 1810	19		15-JAN-99
N	MIL-HDBK-1271	SYMBOLS TO SUPPLEMENT THE TEXT OF INSTRUCTION PLATES FOR MILITARY VEHICLES [CUST: AT] [REVIEW: 99 CR4 MC YD2]	A 2320	AT		10-APR-98
M	MIL-DTL-62187B	REGULATOR, 650 AMP, SOLID STATE [CUST: AT 99] [REVIEW: 82 CC]	A 2920	AT		06-JAN-99
M	MIL-DTL-24050E	ROPE, FIBROUS, DOUBLE-BRAIDED (NYLON) [CUST: GL SH 99 IS] [REVIEW: 82 AS]	A 4020	IS		25-JAN-99
M	MIL-PRF-26626E(1)	HOSE ASSEMBLY, REINFORCED, CRYOGENIC, OXYGEN [CUST: AV AS 99] [REVIEW: CC]	A 4720	71		15-FEB-99
M	MS29571D	COCK, POPPET DRAIN [CUST: 99]	A 4820	71		19-JAN-99
M	MIL-PRF-26139C(1)	TESTER, PRESSURIZED CABIN LEAKAGE, AIRCRAFT, (AF/M24T-3 AND AF/M32T-1) [CUST: 99]	A 4920	82		12-FEB-99
N	NASM17987	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, RING HANDLE [CUST: AV AS 99 IS]	A 5315	IS		DEC-98
N	NASM14289	STRAP, RETAINING, CUSHIONED, RECTANGULAR, TWO-PIECE, METRIC [CUST: AR AS 99 IS]	A 5340	IS		DEC-98
N	NASM21314	STRAP, RETAINING, TWO HOLE, FOR PIPE, CONDUIT, AND CABLE [CUST: AR YD2 99 IS]	A 5340	IS		DEC-98
N	NASM21315	STRAP, RETAINING, TWO HOLE, FOR TUBING [CUST: AR 99 IS]	A 5340	IS		DEC-98
N	NASM21322	CLAMP, LOOP-ALUMINUM, PLAIN AND CUSHIONED [CUST: AR YD2 99 IS]	A 5340	IS		DEC-98
N	NASM21333	CLAMP, LOOP-STEEL, PLAIN AND CUSHIONED [CUST: AR YD2 99 IS]	A 5340	IS		DEC-98
N	NASM21334	CLAMP, LOOP-DOUBLE, CABLE OR TUBE, STEEL, PLAIN AND CUSHIONED [CUST: AR YD2 99 IS]	A 5340	IS		DEC-98
N	NASM240664	CLIP, DOUBLE SLOT, SPRING TENSION [CUST: EC IS]	A 5340	IS		DEC-98
N	NASM27975	CLEVIS, ROD END-ADJUSTING, WIDE AND NARROW FORKS [CUST: AR AS 99 IS]	A 5340	IS		DEC-98
N	NASM35792	HANDLE, BAIL CHEST, RECESSED [CUST: AR OS 99 IS]	A 5340	IS		DEC-98
N	NASM35812	CLEVIS, ROD END-ADJUSTABLE AND PLAIN, STEEL [CUST: AR AS 99 IS]	A 5340	IS		DEC-98
N	NASM39087	HANDLE, BOW [CUST: AR 99 IS]	A 5340	IS		DEC-98
N	NASM51956	STRAP, RETAINING, ONE HOLE FOR THIN WALL CONDUIT (EMT) [CUST: AR SH 99 IS]	A 5340	IS		DEC-98
M	MIL-PRF-12934/19C	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1300 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A 5905	CC		01-FEB-99
M	MIL-PRF-39007H(1) SUP 1	RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, GENERAL SPECIFICATION FOR [CUST: CR EC 85 NA] [REVIEW: 17 19 80 AR AS CG MC MI OS]	A 5905	CR		04-FEB-99
M	QPL-123-27	CAPACITOR, FIXED, CERAMIC DIELECTRIC (TEMPERATURE STABLE AND GENERAL PURPOSE) HIGH RELIABILITY, GENERAL SPECIFICATION FOR	A 5910	CC		18-DEC-98
M	MIL-S-8805/47E(2) NOT 1	SWITCHES, SENSITIVE, SPDT, LEVER, 25 AMPERES, HERMETIC [CUST: CR EC 85 CC]	A 5930	CC		27-JAN-99
M	MIL-C-83517/1(2) NOT 1	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED TAB TERMINAL) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AT CR4 MC MI OS SH]	A 5935	CC		29-JAN-99
M	MIL-C-83517/3(2) NOT 2	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED SLOTTED TAB TERMINAL) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AT CR4 MC MI OS SH]	A 5935	CC		29-JAN-99
M	MIL-C-83517/4(2) NOT 2	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED EXTENDED DIELECTRIC) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AT CR4 MC MI OS SH]	A 5935	CC		29-JAN-99
M	MIL-C-83517/6(2) NOT 2	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, 8 HOLE SURFACE LAUNCH) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AT CR4 MC MI OS SH]	A 5935	CC		29-JAN-99
M	MIL-C-83517/8(2) NOT 2	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, 8 HOLE SURFACE LAUNCH RIGHT ANGLE) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AT CR4 MC MI OS SH]	A 5935	CC		29-JAN-99
M	MIL-C-83517/9(3) NOT 1	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, END LAUNCH) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AT CR4 MC MI OS SH]	A 5935	CC		29-JAN-99
M	MIL-C-83517/10(2) NOT 2	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AT CR4 MC MI OS SH]	A 5935	CC		29-JAN-99
M	QPL-39024-30	CONNECTORS, ELECTRICAL, JACKS, TIP (TEST POINT, PANEL OR PRINTED WIRING TYPE), GENERAL SPECIFICATION FOR	A 5935	CC		17-DEC-98
M	QPL-81511-9	CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, GENERAL SPECIFICATION FOR	A 5935	AS		16-DEC-98
M	QPL-83502-4	SOCKET, PLUG IN ELECTRONIC COMPONENTS, ROUND STYLE, GENERAL SPECIFICATION FOR	A 5935	CC		29-JAN-99
M	QPL-83505-23	SOCKET (LEAD, ELECTRONIC COMPONENTS) GENERAL SPECIFICATION FOR	A 5935	CC		29-JAN-99
M	QPL-83734-32	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, DUAL-IN-LINE (DIPS) AND SINGLE-IN-LINE PACKAGES (SIPS), GENERAL SPECIFICATION FOR	A 5935	CC		29-JAN-99
N	SAE-AS33481	CONTACT BUSHING, ELECTRIC, WIRE BARREL [CUST: CR AS 85]	A 5935	AS		SEP-97
N	SAE-AS34001A	CONNECTORS, RECEPTACLE, ELECTRIC, WALL MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE [CUST: AS]	A 5935	AS		OCT-97
N	SAE-AS34021A	CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE WITH [CUST: CR AS 85]	A 5935	AS		JAN-98
N	SAE-AS34121A	CONNECTORS, RECEPTACLE, ELECTRIC, WALL MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE - WITH ACCESSORY THREADS [CUST: AS]	A 5935	AS		JAN-98
N	SAE-AS34541	CONNECTORS, RECEPTACLE, ELECTRICAL, JAM NUT MOUNTING, REAR RELEASE CRIMP CONTACT, AN TYPE [CUST: CR AS 85]	A 5935	AS		JAN-98
N	SAE-AS34591	CONNECTOR, PLUG, ELECTRICAL, SELF-LOCKING, COUPLING NUT, REAR RELEASE, CRIMP CONTACT, AN TYPE [CUST: CR AS 85]	A 5935	AS		JAN-98
M	QPL-21038-51	TRANSFORMER, PULSE, LOW POWER, GENERAL SPECIFICATION FOR	A 5950	CC		29-JAN-99
M	MIL-PRF-1/302N(1)	ELECTRON TUBE, POWER TYPE 8172 [CUST: CR EC 85 CC] [REVIEW: 11 17 80 99 AR AS CG CR4 MC OS SH]	A 5960	CC		22-JAN-99
M	MIL-PRF-1/505G	ELECTRON TUBE, GAS TYPE 5962 [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG CR4 MC OS]	A 5960	CC		27-JAN-99
M	MIL-PRF-1/590B	ELECTRON TUBE, CATHODE RAY TYPE 3FP7A [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CG CR4 MC OS SH]	A 5960	CC		09-FEB-99
M	MIL-PRF-1/592B	ELECTRON TUBE, CATHODE RAY TYPE 5BP1A AND 5HP1A [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG MC OS SH]	A 5960	CC		09-FEB-99
M	MIL-PRF-1/594B	ELECTRON TUBE, CATHODE RAY TYPE 3BP1A [CUST: CR EC 85] [REVIEW: 17 99 MC MI]	A 5960	CC		16-FEB-99
M	QML-19500-1	SEMICONDUCTOR DEVICE, GENERAL SPECIFICATION FOR	A 5961	CC		21-DEC-98
M	QPL-83511-12	HEADSET-MICROPHONE AND HEADSET-ELECTRICAL (MEDIUM NOISE ATTENUATION, HEARING PROTECTIVE), GENERAL SPECIFICATION FOR	A 5965	CC		29-JAN-99
M	QPL-87819-5	HEADSET-MICROPHONE, HEADSET-ELECTRICAL, HEADSET-NONELECTRICAL (HEARING PROTECTIVE TYPE, HIGH AMBIENT NOISE LEVELS), GENERAL SPECIFICATION FOR	A 5965	CC		29-JAN-99

List Action	Document Number		Document Title	Distribution	FSC/Area	MCA	Prep. Acty.	Date
M	A-A-55485/2A		MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, .200 OR .230 DIAMETER PIN CENTER [CUST: CR EC 85 CC]	A	5999	/	CC	15-FEB-99
M	MIL-DTL-62186B		GENERATOR, ALTERNATING CURRENT (650 AMPERE RECTIFIED), 28 VOLTS DIRECT CURRENT (OIL COOLED) [CUST: AT 99]	A	6115		AT	06-JAN-99
M	QPL-49055-19		CABLES, POWER, ELECTRICAL, (FLEXIBLE, FLAT, UNSHIELDED), (ROUND CONDUCTOR), GENERAL SPECIFICATION FOR	A	6145		CC	29-JAN-99
M	MIL-PRF-26611E(2)		GENERATOR, TACHOMETER GEU-7/A, MINIATURE [CUST: AV AS 99]	A	6620		71	07-JAN-99
M	MIL-PRF-32029(1)		AUTOMATED CONFIGURATION MANAGEMENT SYSTEM (ACMS) [CUST: MI] [REVIEW: AR AT CR GL IE PT SY TE]	A	7030		MI	14-DEC-98
M	A-A-59402		DRUM (FOR BULK PROPELLANT) [CUST: AR]	A	8140	/	AR	25-JAN-99
N	MIL-DTL-11589/509		RIBBON, RECRUITING TRAINING, NAVY [CUST: IH NU] [REVIEW: CT]	A	8455		IH	22-JAN-99
N	MIL-DTL-11589/510		RIBBON, CHAIRMAN'S AWARD, CHEMICAL SAFETY AND HAZARD INVESTIGATION BOARD [CUST: IH] [REVIEW: CT]	A	8455		IH	22-JAN-99
N	MIL-DTL-11589/511		RIBBON, 75TH ANNIVERSARY COMMEMORATIVE MEDAL, U.S. BORDER PATROL, DEPARTMENT OF JUSTICE [CUST: IH] [REVIEW: CT]	A	8455		IH	22-JAN-99
N	MIL-DTL-11589/512		RIBBON, MILITARY TRAINING INSTRUCTOR, AIR FORCE [CUST: IH 45] [REVIEW: CT]	A	8455		IH	22-JAN-99
N	EIA649		NATIONAL CONSENSUS STANDARD FOR CONFIGURATION MANAGEMENT [CUST: AR AS 10 SE]	A	CMAN		SE	10-JUL-98

List Action	Document Number	Document Title	Distribution			Date
			FSC/Area	UIC	Prep. Acty.	
M	MIL-S-48573(1) NOT 1	SIGHTUNIT, M64 (CUST: AR)	A 1240	AR		04-FEB-99
M	MIL-C-46552C(2) NOT 2	CARTRIDGE, 20MM, TARGET PRACTICE, M55A2 (CUST: AR)	A 1305	AR		31-JUL-98
M	MIL-C-60609A(2) NOT 1	CARTRIDGE, 20MM, TARGET PRACTICE TRACER, M220 (CUST: AR)	A 1305	AR		31-JUL-98
M	MIL-B-273F NOT 1	BAG, DRINKING WATER STORAGE, DISPENSING, CLOTH, COTTON DUCK, POROUS (CUST: GL 99 CC) [REVIEW: 84 MD]	A 4610	CC		12-FEB-99
M	MIL-C-4751D(3) NOT 1	CASTERS, RIGID AND SWIVEL, PRECISION HEAVY DUTY, AND SHOCK ABSORBING (CUST: AS 99 IS) [REVIEW: 11 AR]	A 5340	IS		04-FEB-99
M	MIL-C-45918 NOT 1	CLEAVES AND CONNECTORS (ROD END) (CUST: AR AS 99 IS) [REVIEW: AT AV CR4 GL MC MI SH]	A 5340	IS		04-FEB-99
M	MS27149B NOT 1	CASTER, RIGID AND SWIVEL, PRECISION, HEAVY DUTY (CUST: AR YD2 99 IS) [REVIEW: 11 19 CE GL]	A 5340	IS		04-FEB-99
M	MS27976E NOT 1	CLEVIS, ROD END-PLAIN, WIDE AND NARROW FORKS (CUST: AR AS 99 IS) [REVIEW: AT AV CR4 MC SH YD2]	A 5340	IS		04-FEB-99
M	MS3348E NOT 1	CONTACT BUSHING, ELECTRIC, WIRE BARREL (USE SAE-AS33481) (CUST: CR AS 85) [REVIEW: 11 17 19 99 AR CC CG EC MI OS YD2]	A 5935	AS		22-JAN-99
M	MS3400G NOT 2	CONNECTORS, RECEPTACLE, ELECTRIC, WALL MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE (USE SAE-AS34001) (CUST: AS)	A 5935	AS		08-JAN-99
M	MS3402G NOT 1	CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE WITH (USE SAE-AS34021) (CUST: CR AS 85)	A 5935	AS		08-JAN-99
M	MIL-R-83726/13G	RELAYS, SOLID STATE, TIME DELAY (ON OPERATE), TYPE I CLASS C, SPSTNO, 300 MILLIAMPERES, FIXED TIME, 0.05 TO 600 SECONDS, HERMETICALLY SEALED (CUST: AT CC)	A 5945	CC		15-JAN-99
M	MIL-C-70478(3) NOT 1	CONTAINER, AMMUNITION, METAL, FOR CARTRIDGE, 120MM, TANK AMMUNITION (CUST: AR)	A 8140	AR		22-JAN-99

Doc Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Acty.	Date
M	MIL-P-7858(2) NOT 1	PUMP, HYDRAULIC, POWER DRIVEN, FIXED DISPLACEMENT (NO S/S DOCUMENT) [CUST: AV AS CC] [REVIEW: MI]	A 4320	CC		19-FEB-99
M	MIL-H-8796C(1) NOT 1	HOSE, AIRDUCT, FLEXIBLE, AIRCRAFT (S/S BY SAE-AS8796) [CUST: AV AS 99] [REVIEW: CC]	A 4720	AS		22-DEC-98
M	MIL-S-27661C NOT 1	STRAINER, SEDIMENT, JET FUEL UNIT, 600 GPM (NO S/S DOCUMENT) [CUST: YD2 99 CC] [REVIEW: 82]	A 4730	CC		19-FEB-99
M	MIL-STD-801A NOT 1	INSPECTION AND ACCEPTANCE STANDARDS FOR PROPULSION FLUID CELLS AND FITTINGS (S/S BY MIL-HDBK-806) [CUST: AV AS] [REVIEW: 99 MI]	A 4730	AS		23-DEC-98
M	MIL-C-45820D NOT 1	CABLE ASSEMBLIES, ELECTRICAL (NO S/S DOCUMENT) [CUST: AL] [REVIEW: AT CC CR SM]	A 4910	AL		29-JAN-99
M	GGG-D-280C NOT 1	DIES, METAL STAMPING, HAND, STEEL, AND DIE SET, LEATHER STAMPING, HAND (LETTER AND NUMERAL) (NO S/S DOCUMENT)	A 5110	# FSS		22-JAN-99
M	GGG-C-313D NOT 1	CHISEL, HAND, CAPE, DIAMOND POINT, COLD, ROUND NOSE, AND SIDE CUTTING (NO S/S DOCUMENT) [REVIEW: 99 MC MR SH YD2]	A 5110	% FSS		11-JAN-99
M	GGG-C-750A NOT 1	CUTTER, CABLE, HAND OPERATED, LIGHT DUTY (NO S/S DOCUMENT)	A 5110	# FSS		28-AUG-97
M	W-G-441A NOT 1	GLUEPOT, ELECTRIC (PORTABLE, DRY AND WET) (NO S/S DOCUMENT) [CUST: GL 99]	A 5120	* GL		11-JAN-99
M	RR-G-691B(1) NOT 1	GRIP, CABLE JAW (NO S/S DOCUMENT) [CUST: GL 99] [REVIEW: CR4 YD2]	A 5120	* GL		11-JAN-99
M	GGG-T-350B NOT 1	TIRE LOCK RING TOOL, TIRE REMOVING TOOL, AND TIRE IRON (NO S/S DOCUMENT)	A 5120	# FSS		26-OCT-98
M	GGG-F-360E NOT 1	FINGER, MECHANICAL, AND RETRIEVER TOOL, MAGNETIC (NO S/S DOCUMENT) [CUST: GL]	A 5120	* GL		26-OCT-98
M	GGG-W-651E NOT 1	WRENCH, PIPE WRENCH AND BASIN WRENCH (NO S/S DOCUMENT) [CUST: GL SH 99] [REVIEW: MC MI]	A 5120	* GL		14-JAN-99
M	GGG-W-653B NOT 1	WRENCH, RATCHET, REVERSIBLE (NO S/S DOCUMENT) [CUST: GL SH 99] [REVIEW: AS YD2]	A 5120	* GL		14-JAN-99
M	GGG-W-657C NOT 1	WRENCH, SOCKET (SPIN TYPE, SCREWDRIVER GRIP) (NO S/S DOCUMENT) [REVIEW: AV GL SH]	A 5120	% FSS		14-JAN-99
M	GGG-T-671C NOT 1	TROWELS (NO S/S DOCUMENT) [CUST: GL 99] [REVIEW: 84 AT MC]	A 5120	* GL		11-JAN-99
M	GGG-W-680A(2) NOT 1	WRENCH, TAP AND REAMER, ADJUSTABLE (NO S/S DOCUMENT) [CUST: GL 99] [REVIEW: AR MC MI YD2]	A 5120	* GL		12-JAN-99
M	GGG-S-740B NOT 1	STAND, PIPE VISE, AND VISES AND STANDS, PIPE (NO S/S DOCUMENT) [CUST: GL SH 99] [REVIEW: YD2]	A 5120	* GL		11-JAN-99
M	GGG-B-785B NOT 1	BURNISHERS, CONTACT, H AND (AND BLADES) (NO S/S DOCUMENT)	A 5120	# FSS		12-JAN-99
M	GGG-E-950A NOT 1	EXTRACTOR, STUFFING BOX AND PUMP PACKING (AND TAMPER), AND EXTRACTOR, LANTERN GLAND (NO S/S DOCUMENT) [CUST: GL 99] [REVIEW: AR MC YD2]	A 5120	* GL		11-JAN-99
M	MIL-C-24066/4D NOT 1	CLIP, DOUBLE SLOT, SPRING TENSION (S/S BY NASM24066/4) [CUST: EC IS] [REVIEW: AS AV]	A 5340	IS		04-FEB-99
M	DS14289 NOT 1	STRAP, RETAINING, CUSHIONED, RECTANGULAR, TWO PIECE, METRIC (S/S BY NASM14289) [CUST: AR AS 99 IS] [REVIEW: 11 AT AV EA EC MC SM]	A 5340	IS		04-FEB-99
M	MIL-D-55647(2) NOT 2	DIRECTION FINDER SET AN/ARN-89() (NO S/S DOCUMENT) [CUST: CR]	A 5826	CR		08-JAN-99
M	MIL-N-49098A(1) NOT 2	NAVIGATIONAL SET, DOPPLER AN/ASN-128() (X8-2) (NO S/S DOCUMENT) [CUST: CR]	A 5841	CR		08-JAN-99
M	MIL-N-58107(1) NOT 2	NAVIGATIONAL SET, DOPPLER AN/ASN-137() (NO S/S DOCUMENT) [CUST: CR]	A 5841	CR		08-JAN-99
M	MIL-G-53010(1) NOT 2	GENERATOR SET, DIESEL ENGINE, TRAILER MOUNTED 100 KW, 50/60 HERTZ, PU-495B/G (NO S/S DOCUMENT) [CUST: CR4] [REVIEW: GS]	A 6115	CR4		05-FEB-99
M	MIL-G-82058D NOT 3	GENERATOR SET, DIESEL, 750 KW, 50/60 HERTZ, PRIME, UTILITY (NO S/S DOCUMENT) [CUST: CR4 99] [REVIEW: 11 30 CE GS]	A 6115	CR4		05-FEB-99
M	MIL-F-52920D(2) NOT 2	FLOODLIGHT SET, TRAILER-MOUNTED (NO S/S DOCUMENT) [CUST: CR4] [REVIEW: 99 GS MC]	A 6210	CR4		05-FEB-99
M	MIL-R-52446E NOT 2	RADIATION SOURCE, INFRARED, 2.2 KW SEARCHLIGHT, INFRARED, 28 VOLT, 110 AMPERE (NO S/S DOCUMENT) [CUST: CR EC 99] [REVIEW: GS MC]	A 6230	CR		07-FEB-99
M	MIL-R-52447C NOT 2	REFLECTOR, PARABOLIC, 22-1/2 INCH, FOR SEARCHLIGHT, INFRARED, 28 VOLT, 110 AMPERE (NO S/S DOCUMENT) [CUST: CR EC] [REVIEW: GS MC]	A 6230	CR		07-FEB-99
M	MIL-R-214E NOT 2	REEL, PHOTOGRAPHIC FILM, AND CAN OR CASE, PHOTOGRAPHIC FILM STORAGE (16MM AND 35MM FILM) (NO S/S DOCUMENT) [CUST: CR AS 99] [REVIEW: MI]	A 6760	CR		07-FEB-99
M	MIL-C-10147D NOT 2	CABINET, PHOTOGRAPHIC STORAGE, FILM BM-11() (NO S/S DOCUMENT) [CUST: CR AS 99] [REVIEW: GS MC]	A 6760	CR		07-FEB-99
M	MIL-R-20648C NOT 2	RACK, STORAGE, MOTION PICTURE, FILM (NO S/S DOCUMENT) [CUST: CR 99] [REVIEW: 70 GS]	A 6760	CR		07-FEB-99
M	MIL-T-23142B NOT 2	TAPE, PRESSURE-SENSITIVE ADHESIVE, FOR DISSIMILAR METAL SEPARATION (S/S BY A-A-59298) [CUST: GL AS 99] [REVIEW: 69 CR4 MI]	A 7510	AS		17-AUG-98
M	MIL-C-70469(2) NOT 1	CONTAINER, STEEL, FOR BULK PROPELLANT (S/S BY A-A-59402) [CUST: AR]	A 8140	AR		25-JAN-99
M	MIL-C-70470(1) NOT 1	CONTAINER, FIBER, FOR BULK PROPELLANT (S/S BY A-A-59402) [CUST: AR]	A 8140	AR		25-JAN-99
M	MIL-C-43338E NOT 1	CREAM SUBSTITUTE, DRY, NON DAIRY (S/S BY A-A-20043) [CUST: GL SA 35] [REVIEW: MC MD QM]	A 8940	SS		12-JAN-99
M	EIA-15649-95 NOT 2	NATIONAL CONSENSUS STANDARD FOR CONFIGURATION MANAGEMENT (S/S BY EIA649) [CUST: AR AS 10 SE]	A CMAN	SE		AUG-95